

Reference List for Palatability Assessment

1. P. Kozarewicz, Regulatory perspectives on acceptability testing of dosage forms in children, *International Journal of Pharmaceutics*, 2014, 469(2): 245–248,
2. E. Davies, C. Tuleu, Medicines for children: a matter of taste, *Journal of Pediatrics*, 2008, 153(5):599–604,e1–e2.
3. J.A. Mennella, A.C. Spector, D.R. Reed and S.E. Coldwell, The Bad Taste of Medicines: Overview of Basic Research on Bitter Taste, *Clinical Therapeutics*, 2013, 35(8):1255-1246.
4. J.A. Mennella, K.M. Roberts, R.S. Mathew and D.R. Reed, Children's perceptions about medicines: individual differences and taste, *BMC Pediatrics*, 2015 15:130-136.
5. S. E. Coldwell, J.A. Mennella, V.B. Duffy, M.L. Pelchat, J.W. Griffith, G. Smutzer, B.J. Cowart, P.A.S. Breslin, L.M. Bartoshuk, L. Hastings, D. Victorson and H.J. Hoffman, Gustation assessment using the NIH toolbox, 2013, *Neurology*, 80(S3):S20-24.
6. T. Sam, T.B. Ernest, J. Walsh, J.L. William, A benefit/risk approach towards selecting appropriate pharmaceutical dosage forms – An application for pediatric dosage form selection, *International Journal of Pharmaceutics*, 2012, 435:115-123.
7. M. Pein, M. Preis, C. Eckert, and F. Kiene, Taste-masking assessment of solid oral dosage forms—A critical review, *International Journal of Pharmaceutics*, 2014, 465:239–254.
8. A. Cram, J. Breitkreutz, S. Dessel-Brethes, T. Nunn and C. Tuleu, On behalf of the European Paediatric Formulation Initiative (EuPFI), Challenges of developing palatable oral paediatric formulations, *International Journal of Pharmaceutics*. 2009, 365:1–3.
9. S. Ranmal and C. Tuleu, Demonstrating Evidence of Acceptability: The “Catch-22” of Pediatric Formulation Development, *Clinical Pharmacology & Therapeutics*, 2013, 94 (5): 582–584.
10. EMA Guideline on Pharmaceutical Development of Medicines for Paediatric Use, Aug. 2013 (http://www.ema.europa.eu/docs/en_GB/document_library/Scientific_guideline/2013/07/WC500147002.pdf)
11. EMA Reflection Paper: Formulations of Choice for the Paediatric Population, Sept. 2006 (http://www.ema.europa.eu/docs/en_GB/document_library/Scientific_guideline/2009/09/WC500003782.pdf)
12. Food and Drug Administration. Pediatric Study Plans: Content of and Process for Submitting Initial Pediatric Study Plans and Amended Pediatric Study Plans. Rockville, MD: Food and Drug Administration; Mar 2016.
<http://www.fda.gov/downloads/drugs/guidancecomplianceregulatoryinformation/guidances/ucm360507.pdf>
13. C.A. Thompson, D.P. Lombardi, P. Sjostedt and L.A. Squires, Industry Survey on Current Practices in the Assessment of Palatability and Swallowability in the Development of Pediatric Oral Dosage Forms, *DIA Therapeutic Innovation and Regulatory Science*, 2013, 47 (5):542-549.
14. L.A. Squires, D.P. Lombardi, P. Sjostedt and C.A. Thompson, A Systematic Literature Review on the Assessment of Palatability and Swallowability in the Development of Oral Dosage Forms for Pediatric Patients, *DIA Therapeutic Innovation and Regulatory Science*, 2013, 47 (5):533-541.
15. C. Thompson, D. Lombardi, P. Sjostedt, and L. Squires, Best Practice Recommendations Regarding the Assessment of Palatability and Swallowability in the Development of Oral Dosage Forms for Pediatric Patients. *DIA Therapeutic Innovation and Regulatory Science*, 2015, 49(5):1-12.
16. F. Liu, S. Ranmal, H. Batchelor, M. Orlu-Gul, T. Ernest, I. Thomas, T. Flanagan, C. Tuleu, Patient-Centred Pharmaceutical Design to Improve Acceptability of Medicines: Similarities and Differences in Paediatric and Geriatric Populations, *Drugs*, 2014, 74:1871–1889.
17. D. Matsui, Assessing the palatability of medications in children, *Pediatric and Perinatal Drug Therapy*, 2007, 8(2): 55-60.

18. H. Hames, J.A. Seabrook, D. Matsui, M.J. Rieder and G.I. Joubert, A palatability study of a flavored dexamethasone preparation versus prednisolone liquid in children, Canadian Journal of Clinical Pharmacology, 2008 15(1):e95-8.
19. M.L. Angelilli, M. Toscani, D.M. Matsui and M.J. Rieder, Palatability of oral antibiotics among children in an urban primary care center, Archives of Pediatrics and Adolescent Medicine, 2000, 154(3):267-270.
20. D. Matsui, R. Lim, T. Tschen, and M.J. Rieder, Assessment of the palatability of β -lactamase-resistant antibiotics in children, Archives of Pediatrics and Adolescent Medicine, 1997, 151(6):599-602.
21. D. Matsui, A. Barron, and M.J. Rieder, M.J. Assessment of the palatability of antistaphylococcal antibiotics in pediatric volunteers, Annals of Pharmacotherapy, 1996, 30(6):586-588.
22. V. Tolia, G. Johnston, J. Stolle and C. Lee, Flavor and taste of lansoprazole strawberry-flavored delayed-release oral suspension preferred over ranitidine peppermint-flavored oral syrup: in children aged between 5-11 years, Pediatric Drugs, 2004, 6(2):127-131.
23. V. Tolia, C. Han, J.D. North and F. Amer, Taste comparisons for lansoprazole strawberry-flavoured delayed-release orally disintegrating tablet and ranitidine peppermint-flavoured syrup in children, Clinical Drug Investigation, 2005, 25(5):285-292.
24. V. Tolia, G. Johnston, J. Stolle and C. Lee, Flavor and Taste of Lansoprazole Strawberry-Flavored Delayed-Release Oral Suspension Preferred over Ranitidine Peppermint-Flavored Oral Syrup: In Children Aged between 5-11 Years, Pediatric Drugs, 2004, 6(2):127-131
25. D. van Riet-Nales, B. de Neef, A. Schobben, J. Ferreira, T. Egberts, C. Rademaker, Acceptability of different oral formulations in infants and preschool children. Archives of Disease in Childhood, 2013, 98:725–731.
26. D. van Riet-Nales, J. Ferreira, A. Schobben, B. de Neef, T. Egberts, C. Rademaker, Methods of administering oral formulations and child acceptability, International Journal of Pharmaceutics, 2015, 491:261–267.
27. M. Whitaker, S. Spielmann, D. Digweed, H. Huatan, D. Eckland, T. Johnson, G. Tucker, H. Krude, O. Blankenstein, and R. Ross, Development and Testing in Healthy Adults of Oral Hydrocortisone Granules With Taste Masking for the Treatment of Neonates and Infants With Adrenal Insufficiency, Journal of Clinical Endocrinology & Metabolism, 2015, 100(4):1681–1688.
28. J. M. Isa, G. K. Wong, S. S. Teraoka, M. J. Sera, M. M. Tsushima and L. G. Yamamoto, Parental pediatric corticosteroid preferences, American Journal of Emergency Medicine 2001, 19(1): 29-31.
29. J. L. Sebert, M. Garabedian, M. Chauvenet, M. Maamer, F. Agbomson and M. Brazier, Evaluation of a new solid formulation of calcium and vitamin D in institutionalized elderly subjects. A randomized comparative trial versus separate administration of both constituents, Revue du Rhumatisme (English Edition), 1995, 62(4): 288-294.
30. C. Holas, Y.L. Chiu, G. Notario and D. Kapral D, A pooled analysis of seven randomized crossover studies of the palatability of cefdinir oral suspension versus moxicillin/clavulanate potassium, cefprozil, azithromycin, and amoxicillin in children aged 4 to 8 years, Clinical Therapeutics, 2005, 27(12):1950-1960.
31. C.J. Coté, I.T. Cohen, S. Suresh, M. Rabb, J.B. Rose, B.C. Weldon, P.J. Davis, G.B. Bikhazi, H.W. Karl, K.A. Hummer, R.S. Hannallah, K.C. Khoo and P. Collins, A comparison of three doses of a commercially prepared oral midazolam syrup in children, Anaesthesia and Analgesia, 2002, 94(1):37-43.
32. J.L. Powers and W.M. Gooch 3rd and L.P Oddo, Comparison of the palatability of the oral suspension of cefdinir vs. amoxicillin/clavulanate otassium, cefprozil and azithromycin in pediatric patients, The Pediatric Infectious Disease Journal, 2000, 19(12 Suppl):S174-180.

33. S.B. Freedman, D. Cho, K. Boutis, D. Stephens, and S. Schuh, Assessing the palatability of oral rehydration solutions in school-aged children: A randomized crossover trial, *Archives of Pediatrics and Adolescent Medicine*, 2010 164(8):696-702
34. A.A. Bianchetti, S.A.G. Lava, A. Bettinelli, A., M.Rizzi, G.D. Simonetti, and M.G. Bianchetti, Preference for formulations containing calcium and vitamin D3 in childhood: A randomized-sequence, open-label trial, *Clinical Therapeutics*, 2010, 32(6):1083-1087.
35. G. Milani, M. Ragazzi, G.D. Simonetti, G.P. Ramelli, M. Rizzi, G.D. Bianchetti and E.F. Fossali, Superior palatability of crushed lercanidipine compared with amlodipine among children *British Journal of Clinical Pharmacology*, 2010, 69(2):204-206.
36. Herd, D.W. and Salehi, B. Palatability of two forms of paracetamol (acetaminophen) suspension: A randomised trial, *Paediatric and Perinatal Drug Therapy*, 2006, 7(4):189-193
37. R.H. Schwartz, Enhancing children's satisfaction with antibiotic therapy: A taste study of several antibiotic suspensions, *Current Therapeutic Research - Clinical and Experimental*, 2000, 61(8):570-581.
38. C.J. Hutto, Palatability and cost comparison of five liquid corticosteroid formulations, *Journal of Pediatric Oncology Nursing*, 1999, 16(2):74-77.
39. R. Lagos, O. San Martin, S.S. V. Prado, G.A. Losonsky, S.S. Wasserman, C. Bustamante and M.M. Levine, Palatability, reactogenicity and immunogenicity of engineered live oral cholera vaccine CVD 103-HgR in Chilean infants and toddlers, *Pediatric Infectious Disease Journal*, 1999, 18(7):624-630.
40. R.W., Steele, M.P. Thomas, R.E. Begue and B.P. Despinasse, Selection of pediatric antibiotic suspensions: Taste and cost factors, *Infections in Medicine*, 1999, 16(3):197-200.
41. L. Holmberg, A comparative taste preference study of loratadine versus terfenadine in children, *Current Therapeutic Research*, 1994, 55 (6):641-644.
42. R. Cohen, F. de La Rocque, A. Lécuyer, C. Wollner, M.J. Bodin and A. Wollner, Study of the acceptability of antibiotic syrups, suspensions, and oral solutions prescribed to pediatric outpatients, *European Journal of Pediatrics*. 2009, 168(7):851-857.
43. M.A. Cifaldi,M.M. Paris, K.J. Devcich and S. Bukofzer, Parent-reported outcomes for treatment of acute otitis media with cefdinir or amoxicillin/clavulanate oral suspensions. *Paediatric Drugs*. 2004, 6(6):387-393.
44. R. Dagan, R. Shvartzman and Z. Liss , Variation in acceptance of common oral antibiotic suspensions. *Pediatric Infectious Disease Journal*, 1994, 13(8):686-690.
45. R.G. Moura, D.A. Cunha, A.S. Caldas and H.J. Silva HJ. Quantitative evaluation of taste in childhood populations: a systematic review. *Brazilian Journal Otorhinolaryngology*, 2015, 81(1):97-106.
46. A.K. Kolb, K. Schmied, P. Fasssheber and R. Heinrich-Weltzien, Preschool children's taste acceptance of highly concentrated fluoride compounds: effects on nonverbal behavior. *Journal of Clinical Pediatric Dentistry*, 2013, 38(1):31-37.
47. J.J. Cronin, S. McCoy, U. Kennedy, S.N. An Fhailí, A. Wakai, J. Hayden, G. Crispino, M.J. Barrett, S. Walsh and R.A. O'Sullivan, Randomized Trial of Single-Dose Oral Dexamethasone Versus Multidose Prednisolone for Acute Exacerbations of Asthma in Children Who Attend the Emergency Department, *Annals of Emergency Medicine*, 2016 67(5):593-601e3.